

Loewe bild i dr+

Screen diagonal (cm / inch): 164/65 , 139/55 , 121/48
 Screen resolution (pixels): Ultra HD (3840 x 2160)
 EU energy efficiency class SDR / HDR: E/E, F/E, F/F

Power consumption max. (watts): 425 / 325 / 235
 Power consumption standby (watts): 0,3
 Energy consumption SDR / HDR (kWh/1000h): 81/69, 68/61, 61/53

TV

Loewe bild i dr+ set

Scope of delivery includes a.o.
 bild i dr+, klang bar i and table stand i
 bild i.65 dr+ set: W* 146,0 / H 88,3 / PD 6,4 / TD 29,0
 bild i.55 dr+ set: W* 123,6 / H 75,9 / PD 6,4 / TD 29,0
 bild i.48 dr+ set: W* 107,7 / H 66,9 / PD 6,4 / TD 29,0
 manually rotatable (+ / - 20°), concealed cable routing



Loewe bild i dr+

TV model includes a.o.
 bild i dr+, invisible sound and table stand i
 bild i.65 dr+: W* 146,0 / H 88,3 / PD 6,4 / TD 29,0
 bild i.55 dr+ set: W* 123,6 / H 75,9 / PD 6,4 / TD 29,0
 bild i.48 dr+ set: W* 107,7 / H 66,9 / TD 6,4 / TD 29,0
 manually rotatable (+ / - 20°), concealed cable routing



	Model	Article no.	EAN Code
Basalt grey	65 dr+ set	60435D12 + 59212D00	4011880174046 + 4011880170154
	55 dr+ set	60433D12 + 59212D00	4011880174039 + 4011880170154
	48 dr+ set	60431D12 + 59212D00	4011880174534 + 4011880170154
Basalt grey	65 dr+	60435D12	4011880174046
	55 dr+	60433D12	4011880174039
	48 dr+	60431D12	4011880174534
	floor2ceiling stand	60802D00	4011880171076
Basalt grey	floor stand flex	60800D00	4011880171212
	Black	wall mount slim 432	60808W00
wall mount universal		60809W00	4011880172806
Basalt grey	home cinema set 553	63611D10	4011880176033
	home cinema set 551	63610D10	4011880176026
	klang bar5 mr	60601D10	4011880170833
	klang bar3 mr	60614D10	4011880171878
	klang bar i	59212D00	4011880170154
	klang sub5	60603D10	4011880170857
	klang sub1	60610D10	4011880171052

Soundbar

Loewe klang bar i

Passive soundbar for installation at Loewe bild i



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
 * In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

Setup solutions

Further set-up options are possible. Your dealer will be happy to advise you.

Stand solutions, rotatable

floor2ceiling stand

bild i.65 dr+ set: W* x H x PD x TD/FP = 145,7 x 86,8 x 6,4/18,0
bild i.55 dr+ set: W* x H x PD x TD/FP = 123,6 x 74,4 x 6,4/17,5
bild i.48 dr+ set: W* x H x PD x TD/FP = 107,7 x 65,4 x 6,4/17,1
bild i.65 dr+: W* x H x PD x TD/FP = 145,7 x 85,8 x 6,4/18,0
bild i.55 dr+: W* x H x PD x TD/FP = 123,6 x 73,4 x 6,4/17,5
bild i.48 dr+: W* x H x PD x TD/FP = 107,7 x 64,4 x 6,4/17,1
manually rotatable (+/- 110°), concealed cable routing,
height adjustable (220-290 cm)

floor stand flex

bild i.65 dr+ set: W* x H x PD x TD/FP = 145,7 x 128,9 x 6,4/54,0
bild i.55 dr+ set: W* x H x PD x TD/FP = 123,6 x 116,5 x 6,4/54,0
bild i.48 dr+ set: W* x H x PD x TD/FP = 120,8 x 107,5 x 6,4/54,0
bild i.65 dr+: W* x H x PD x TD/FP | 145,7 x 128,9 x 6,4/54,0
bild i.55 dr+: W* x H x PD x TD/FP | 123,6 x 116,5 x 6,4/54,0
bild i.48 dr+: W* x H x PD x TD/FP | 120,8 x 107,5 x 6,4/54,0
manually rotatable (+/- 45°), concealed cable routing,
with or without carrier for accessory tray or soundbar

Wall solutions

wall mount slim 432

bild i.65 dr+ set: W* x H x PD x TD | 146,0 x 86,8 x 6,4/8,4
bild i.55 dr+ set: W* x H x PD x TD | 123,6 x 74,4 x 6,4/8,4
bild i.48 dr+ set: W* x H x PD x TD | 107,7 x 65,4 x 6,4/8,5
bild i.65 dr+: W* x H x PD x TD | 146,0 x 85,8 x 6,4/8,4
bild i.55 dr+: W* x H x PD x TD | 123,6 x 73,4 x 6,4/8,4
bild i.48 dr+: W* x H x PD x TD | 107,7 x 64,4 x 6,4/8,5
flat mounting

wall mount universal

bild i.65 dr+ set: W* x H x PD x TD/FP | 145,7 x 86,8 x 6,4/10,1
bild i.55 dr+ set: W* x H x PD x TD/FP | 123,6 x 74,4 x 6,4/10,1
bild i.48 dr+ set: W* x H x PD x TD/FP | 107,7 x 65,4 x 6,4/10,2
bild i.65 dr+: W* x H x PD x TD/FP | 145,7 x 85,8 x 6,4/10,1
bild i.55 dr+: W* x H x PD x TD/FP | 123,6 x 73,4 x 6,4/10,1
bild i.48 dr+: W* x H x PD x TD/FP | 107,7 x 64,4 x 6,4/10,2
tiltable mounting



Sound solutions

home cinema set 553

klang bar5 mr & klang sub5

klang bar3 mr

klang sub1



Dimensions in cm: W = width, H = height, PD = product depth, TD = total depth. Technical modifications and errors excepted.
* In the area of the side-mounted Loewe clip, the width of the TV set may increase by up to 1 cm, depending on the type of set.

LOEWE.

Technical data

Loewe bild i & klang bar i

65 dr+ & klang bar i

55 dr+ & klang bar i

48 dr+ & klang bar i

Image

Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●

Reception

DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●	— / — / ●

Audio

Output (watts sine / music) / driver (active + passive)	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8	2 x 20 / 2 x 40 / 8
Acoustic speaker concept	klang bar i	klang bar i	klang bar i
Magic moment / front firing / down firing / 2-channel crossover	— / ● / — / ●	— / ● / — / ●	— / ● / — / ●
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —

Operation

Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10,000	10,000	10,000
PIP (AV) ⁴ / Full PIP / Splitscreen TV/Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —

Multimedia

Loewe dr+: storage capacity (GB) / USB recording / timeshift	1,000 / — / ●	1,000 / — / ●	1,000 / — / ●
Loewe dr+: streaming server / client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●

Connectivity and Interfaces

HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●

Energy

EU energy efficiency class: SDR (EEI) / HDR (EEI)	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
EPREL registration No.: https://eprel.ec.europa.eu/qtr	via bild i.65 dr+	via bild i.55 dr+	via bild i.48 dr+
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●

Dimensions

Weight (approx. kg) excl. / incl. standard setup solution	31.1 / 37.1	24.7 / 30.7	17.4 / 23.4
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	146.0 x 86.8 x 6.4	123.6 x 74.4 x 6.4	107.7 x 65.4 x 6.4
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	146.0 x 86.8 x 8.4	123.6 x 74.4 x 8.4	107.7 x 65.4 x 8.5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	146.0 x 88.3 x 29.0	123.6 x 75.9 x 29.0	107.7 x 66.9 x 29.0
VESA support	300 x 200	300 x 200	300 x 200

Scope of Delivery

Speaker	klang bar i (separated)	klang bar i (separated)	klang bar i (separated)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)

Optional accessories

Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang sub1	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang sub1	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang sub1
--	--	--	--

● = available — = not available

¹⁾ according to panel spec typ. values @ HDR 10%

^{2B)} Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

^{3B)} bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

Technical data

Loewe bild i

65 dr+

55 dr+

48 dr+

Image

Screen resolution (pixels)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)	Ultra HD (3840 x 2160)
Display technology	OLED (WRGB)	OLED (WRGB)	OLED (WRGB)
Screen diagonal (cm/inch) / Response time (ms)	164 / 65 / 1	139 / 55 / 1	121 / 48 / 1
Panel luminance ¹ (cd/m ²) / Viewing angle (h/v)	900 / 120°	900 / 120°	720 / 120°
Ultra HD scaling / Image+ Active / Adaptive Contrast / 24p	● / — / ● / ●	● / ● / — / ●	● / ● / — / ●
HDR (HLG / HDR10 / Dolby Vision™) / WCG	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Auto-dimming interior (OPC) / Ambient brightness control	● / ●	● / ●	● / ●

Reception

DVB-T2/C/S2 HD / Multi ATV / Unicable / Dual Channel	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —	● ^{2B} / ● / ● / —
MPEG / MPEG2 / MPEG4 (H.264) / HEVC (H.265)	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
Sat over IP / DVB-C over IP / DVB radio	— / — / ●	— / — / ●	— / — / ●

Audio

Output (watts sine / music) / driver (active + passive)	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2	2 x 10 / 2 x 20 / 2
Acoustic speaker concept	Speaker box - bass reflex	Speaker box - bass reflex	Speaker box - bass reflex
Magic moment / front firing / down firing / 2-channel crossover	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)	— / — / ● / — (invisible sound)
Dolby: Audio / Digital / Digital Plus / Atmos / DTS: HD	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●
Class-D amp / Auto Volume (AVC) / Mimi Sound Personalization	● / ● / —	● / ● / —	● / ● / —
Individual bass and treble control / Loudness	7-Band EQ / —	7-Band EQ / —	7-Band EQ / —

Operation

Loewe chassis / os / home screen (incl. favorites)	SL7 / os7 / ●	SL7 / os7 / ●	SL7 / os7 / ●
Loewe app / Vidaa app / my Loewe app (all: Android + iOS)	— / ● / ●	— / ● / ●	— / ● / ●
Voice control by Alexa skills / Vidaa voice	● / ●	● / ●	● / ●
Electronic Program Guide / EPG key word search	● / —	● / —	● / —
Mediatext (HbbTV) / Teletext / page memory	● / ● / 792	● / ● / 792	● / ● / 792
Menu languages / Context related help	● ^{3B} / ●	● ^{3B} / ●	● ^{3B} / ●
Parental Lock / Automatic turn-off / Timer	● / ● / ●	● / ● / ●	● / ● / ●
Instant Channel Zapping / Quick Start Mode	— / ●	— / ●	— / ●
Number of stations in channel list incl. AV and radio	10,000	10,000	10,000
PIP (AV) ⁴ / Full PIP / Splitscreen TV/Videotext	— / — / ●	— / — / ●	— / — / ●
Software update (via USB / Internet)	● / ●	● / ●	● / ●
Hotel Mode (Standard / CEC / IP / RS232)	● / — / — / —	● / — / — / —	● / — / — / —

Multimedia

Loewe dr+: storage capacity (GB) / USB recording / timeshift	1,000 / — / ●	1,000 / — / ●	1,000 / — / ●
Loewe dr+: streaming server / client / follow-me	● / — / ●	● / — / ●	● / — / ●
Multi Recording / Mobile Recording / Radio Recording	—	—	—
Music player / Photo player / Video player ⁵	● / ● / ●	● / ● / ●	● / ● / ●
Digital Media Renderer (incl. Ultra HD) / Bluetooth music player	● / ●	● / ●	● / ●
Internet apps / Internet browser / Internet radio	● / ● / ● (via radio app)	● / ● / ● (via radio app)	● / ● / ● (via radio app)
YouTube / Amazon prime video / Netflix / Disney+ / Apple tv+	● / ● / ● / ● / ●	● / ● / ● / ● / ●	● / ● / ● / ● / ●

Connectivity and Interfaces

HDMI 2.0b / HDMI 2.1 ⁶	4 x HDMI 2.1	4 x HDMI 2.1	4 x HDMI 2.1
HDCP 2.2 / HDMI-CEC / ARC / eARC	● / ● / ● / ●	● / ● / ● / ●	● / ● / ● / ●
USB / Bluetooth / screen mirroring (Miracast)	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●	4 (2 x USB 3.0) / ● / ●
LAN network connection / WLAN (Wi-Fi) integrated	● / ●	● / ●	● / ●
Antenna IEC / satellite F / CI+ 1.4 ECP certified ⁷	1 / 1 / 1	1 / 1 / 1	1 / 1 / 1
Home automation: IP / RJ12 (RS232C) / IR-Link ⁸ / MU motor control	● / — / — / —	● / — / — / —	● / — / — / —
Mini TOSLINK / center in (via adapter) / cube plug stereo	● / ● / ●	● / ● / ●	● / ● / ●
Audio out control: fix / variable / sub (3.5 mm jack)	● / ● / ●	● / ● / ●	● / ● / ●
Kensington anti theft lock	●	●	●

Energy

EU energy efficiency class: SDR (EEI) / HDR (EEI)	E (0,709) / E (0,608)	F (0,787) / E (0,709)	F (0,900) / F (0,775)
EPREL registration No.: https://eprel.ec.europa.eu/qr	1364122	1429774	1301523
Power switch / mains voltages AC	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz	— / 220-240V, 50/60 Hz
WoLAN / WoWLAN / Fast Power-On (increased consumption)	● / ● / ●	● / ● / ●	● / ● / ●

Dimensions

Weight (approx. kg) excl. / incl. standard setup solution	29,2 / 35,2	22,8 / 28,8	15,5 / 21,5
W* x H x D (approx. cm) without setup solution (* incl. signature flag)	146,0 x 85,8 x 6,4	123,6 x 73,4 x 6,4	107,7 x 64,4 x 6,4
W* x H x D (approx. cm) incl. wall mount slim (* incl. signature flag)	146,0 x 85,8 x 8,4	123,6 x 73,4 x 8,4	107,7 x 64,4 x 8,5
W* x H x D (approx. cm) incl. table stand (* incl. signature flag)	146,0 x 88,3 x 29,0	123,6 x 75,9 x 29,0	107,7 x 66,9 x 29,0
VESA support	300 x 200	300 x 200	300 x 200

Scope of Delivery

Speaker	invisible sound (separated)	invisible sound (separated)	invisible sound (separated)
Setup Solution / rotate-able	table stand i / ●	table stand i / ●	table stand i / ●
Remote control (incl. batteries)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)	Loewe remote alu silver (2x AAA)
Manual / power cord	● / ● (2,5 m, black)	● / ● (2,5 m, black)	● / ● (2,5 m, black)

Optional accessories

Selection of recommended setup solutions and audio systems	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang bar i klang sub1	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang bar5 mr klang bar3 mr klang bar i klang sub1	floor2ceiling stand floor stand flex wall mount slim 432 wall mount universal klang bar3 mr klang bar i klang sub1
--	---	---	--

● = available — = not available

¹⁾ according to panel spec typ. values @ HDR 10%

²⁾ Reception of DVB-T2 HD only in selected countries, may be limited by individual regulations from the respective provider (UK models: Freeview HD compliant)

³⁾ bs - cs - da - de - et - en - es - fr - hr - is - it - lv - lt - hu - nl - no - pl - pt - ro - sq - sk - sl - sr - fi - sv - el - be - bg - kk - mk - ru - uk - tr - ar

⁴⁾ AV-PIP is only available in combination with DVB-T/C/S

⁵⁾ Via home network and USB

⁶⁾ eARC, ALLM, VRR FHD 48-60 Hz, 4K @ 60 Hz, 18 Gb/s

⁷⁾ CI Plus (CI+) is backwards compatible to CI, functionality depends on module availability from supplier

All product and company names are trademarks™ or registered® trademarks of their respective holders. Use of them does not imply any affiliation with or endorsement by them.

Technical changes and delivery options are subject to change without notice. The product portfolio may be different and might vary depending on the country. Service offers are all handled individually.